



0 - Dry in 4 hours

New ARDEX DPM 1C RAPID

ARDEX DPM 1 C RAPID is compatible with the full range of ARDEX Smoothing and Levelling Compounds, ideal combinations include:



**ARDEX DPM 1 C RAPID
and ARDITEX RS PLUS***

*Latex-Based Sub-Floor
Smoothing Compound*



**ARDEX DPM 1 C RAPID
and ARDITEX***

*Latex-Based Universal
Sub-Floor Smoothing
Compound*



**ARDEX DPM 1 C RAPID
and ARDITEX NA***

*Ammonia Free, Low Odour
Latex Sub-Floor Levelling
and Smoothing Compound*

We will be in contact shortly to see if we can be of any further assistance, but if you can't wait until then, please call our Customer Service Department on 01440 714939 or visit **ARDEX online: www.ardex.co.uk**

*Note: When applying any ARDITEX products on top of ARDEX DPM 1 C RAPID, this must be applied within 16 hours of the final cured coat of ARDEX DPM 1 C RAPID.




ARDEX DPM 1C RAPID

0 - Dry in 4 hours

KEY FEATURES:

- **Suppresses residual constructional moisture** in all concrete slabs and sand/cement screeds
- **Rapid drying** - overcoat at 4 hours at 20°C
- Apply **ARDITEX, ARDITEX NA** or **ARDITEX RS PLUS*** directly to ARDEX DPM 1C RAPID **without priming**
- Guarantees the **early laying** of all floorcoverings with the appropriate ARDEX smoothing compound and flooring adhesive
- Can accommodate Hygrometer readings up to **98% RH**
- **Easy to apply** and **fast curing**
- Can be used in conjunction with **ARDEX Resin Systems**
- Available in **6kg** and **10kg** units



ARDEX DPM 1 C RAPID

Rapid Curing One Coat Surface Damp Proof Membrane - Residual Moisture Suppressant

ARDEX DPM 1 C RAPID is a rapid drying damp proof membrane that can be overcoated in 4 hours, it is a one coat rapid drying two component epoxy resin, ideal for **fast track installations**.

ARDEX DPM 1 C RAPID is supplied in pre-gauged units of 6kg and 10kg packs. After hardening the ARDEX DPM 1 C RAPID produces a membrane which can accommodate hygrometer readings up to 98% RH with high inherent and bond strength.

ARDEX DPM 1 C RAPID has excellent resistance to water, grease, oil, aqueous salt solution and dilute mineral and organic acids. ARDEX DPM 1 C RAPID is a metallic grey colour.

COVERAGE:

2.5m²/kg at 250 microns

1.8m²/kg at 350 microns



**HIGH PERFORMANCE
TILING AND FLOORING PRODUCTS**

ARDEX UK LIMITED Homefield Road, Haverhill, Suffolk CB9 8QP UK.

Telephone: 01440 714939 Fax: 01440 716667

Email: info@ardex.co.uk **ARDEX online:** www.ardex.co.uk



SYSTEMARDEX
PREMIUM PERFORMANCE