

The only colours that matter...



Latex Levelling and Smoothing Compound
- No Ammonia

ARDITEX NA

GREY • GREY • GREY • GREY • GREY

Excellent flow characteristics

Feather edge to 12mm in one application

Excellent adhesion to almost all substrates

Unaffected by moisture, can be used
under a damp proof membrane

Low odour and protein free

Simply mixed, pre-gauged 2-part pack

Apply to 30mm incorporating ARDEX Aggregate

Ideal for use with ARDEX floorcovering adhesives

MANUFACTURED UNDER A QUALITY SYSTEM APPROVED BY THE B.S.I.

20^{kg}

ARDEX UK Limited
Homefield Road, Haverhill
Suffolk, CB9 8QP England
Tel: +44 (0)1440 714939
Fax: +44 (0)1440 716667
www.ardex.co.uk



ARDEX
Latex Levelling and Smoothing
Compound - No Ammonia
ARDITEX NA

- Excellent flow characteristics
- Feather edge to 12mm in one application
- Excellent adhesion to almost all substrates
- Unaffected by moisture, can be used under a damp proof membrane
- Low odour, protein free latex subfloor levelling compound
- Simply mixed, pre-gauged 2-part pack
- Apply to 30mm incorporating ARDEX Aggregate
- Ideal for use with ARDEX floorcovering adhesives

ARDITEX NA LATEX - for use with ARDITEX NA Powder

PRECAUTIONS
Read all the number or labels on the site before it does. ARDITEX NA is considered non-hazardous in normal usage. The presence of cement in the product (part of alkaline mixture which may cause some local irritation if prolonged contact with the skin takes place. Care should be taken to avoid irritation or ingestion of dust and prevent contact with the eyes.

NOTE
For the latest technical or health and safety information on this product consult the current technical or health and safety data sheet.

STORAGE AND SHELF LIFE
ARDITEX NA does best in storage for 24 months in a sealed container if stored in frost-free conditions, and if direct sunlight.

4.85kg

ARDEX UK LIMITED
Homefield Road, Haverhill, Suffolk, CB9 8QP England
Telephone: +44 (0)1440 714939
Fax: +44 (0)1440 716667
ARDEX website: www.ardex.co.uk

5 057289 021537 9



UNSC-438 WWA

Yellow Bag. Black Bottle.

ARDITEX NA – Ultra Rapid Setting Low Odour Latex Levelling and Smoothing Compound

ARDEX has been supplying flooring professionals with the best smoothing and levelling compounds for almost 40 years. Since its launch in 2007, **ARDITEX NA** has become the industry benchmark in terms of performance, ease of use, speed and reliability. No other product on the market has managed to get close because it really is that good.

ARDITEX NA has excellent properties of adhesion and flexibility, making it ideal for levelling concrete, cement/sand screeds, flooring grade asphalt and quarry tiles. It can also be used over old adhesive residues as well as on steel decks because it has been approved for offshore marine use.

The real advantage when you choose **ARDITEX NA** over other latex levelling compounds on the market is that its unique rapid setting properties enable floorcoverings to be applied after just 4 hours. Incredibly easy to mix and apply, **ARDITEX NA** has exceptional flow and very low drag on the trowel. **ARDITEX NA** can also be laid from a feather edge up to at least 12mm in a single application and up to 30mm with the addition of **ARDEX Aggregate**.

The absence of ammonia and protein in **ARDITEX NA** means that it is perfect for use in sensitive locations that require even more care than usual such as hospitals, schools and domestic environments as the job can be completed with minimum disruption to the site and its occupants. **ARDITEX NA** also has excellent water resistant properties, making it ideal for use both above and below a damp proof membrane such as **ARDEX DPM 1 C**, our One Coat Surface Damp Proof Membrane.

It's all about peace of mind. With **ARDITEX NA**, you know that you're getting the performance, speed and reliability you've come to expect from the name **ARDEX**. So as far as the future is concerned, it's brighter than ever. You can't go wrong with **ARDITEX NA**; it really is a top quality product.



ARDEX Sub-Floor Systems

LEVEL & SMOOTH



ARDITEX NA

Ultra Rapid Setting Low Odour Latex
Levelling and Smoothing Compound



- Apply floorcoverings after 4 hours*
- Suitable for use over old adhesive residues
- Low odour and protein free
- Excellent adhesion to almost all substrates
- Unaffected by moisture, can be used under a damp proof membrane
- Simply mixed, pre-gauged 2-part pack
- Excellent flow characteristics
- Feather edge to 12mm in one application
- Apply to 30mm incorporating ARDEX Aggregate
- Ideal for use with ARDEX floorcovering adhesives



ARDITEX RS PLUS

Rapid Setting, Ammonia Free, Low Odour Latex
Sub-Floor Levelling and Smoothing Compound

- Apply floorcoverings after 6 hours*
- Rapid setting – a 3mm application will take foot traffic typically after 2 hours
- Cost effective low odour solution for smoothing concrete, cement/sand screeds, ceramic tiles, etc.
- Excellent flow and application properties
- Unaffected by moisture, can be used under a damp proof membrane such as ARDEX DPM 1 C or ARDEX DPM 1 C R
- Simply mixed, pre-gauged 2-part pack
- Feather edge to 6mm in one application
- Apply from 6mm to 12mm incorporating ARDEX Aggregate
- Ideal for use with ARDEX floorcovering adhesives

REPAIR & FINISH



ARDEX A 45

Rapid Hardening and Drying
Internal Repair Mortar



- Rapid hardening and drying - receives finishes after 90 minutes
- Slump free - ideal for vertical and horizontal repairs
- Rapid repair of internal concrete sub-floors and concrete stairs
- Ideal for filling holes in screeds, renders and forming ramps from feather edge to normal screed thickness
- Available in 11kg bags
- Rapidry Formula




ARDEX FEATHER FINISH

Rapid Drying Smoothing and
Patching Compound



- Rapid drying, allows floorcoverings to be installed after as little as 15 minutes on absorbent sub-floors
- Excellent adhesion without primers
- True feather edge achievable
- Cost effective - up to 50m² coverage per 11kg bag
- Exceptional bond to plywood, concrete, smoothing compounds, terrazzo and ceramic tiles
- Add water only
- Available in 11kg bags
- Rapidry Formula

DAMP PROOF



ARDEX DPM 1 C R

Rapid Curing One Coat Surface Damp Proof
Membrane - Residual Moisture Suppressant

- Suppresses residual constructional moisture in all concrete slabs and sand/cement screeds
- Rapid drying – overcoat at 4 hours at 20°C
- Apply ARDITEX, ARDITEX NA or ARDITEX RS PLUS* directly to ARDEX DPM 1 C RAPID without priming
- Guarantees the early laying of all floorcoverings with the appropriate ARDEX smoothing compound and flooring adhesive
- Can accommodate Hygrometer readings up to 98% RH
- Easy to apply and fast curing
- Can be used in conjunction with ARDEX Resin Systems
- Available in 6kg and 10kg units



ARDEX DPM 1 C

One Coat Surface Damp Proof Membrane -
Residual Moisture Suppressant

- Suppresses residual constructional moisture in all concrete slabs and cement/sand screeds
- Apply ARDITEX, ARDITEX NA or ARDITEX RS PLUS* directly to ARDEX DPM 1 C without priming
- Guarantees the early laying of all floorcoverings with the appropriate ARDEX smoothing compound and flooring adhesive
- Use a thinner application for better coverage with Hygrometer readings of up to 85% RH
- Easy to apply and fast curing
- Can be used in conjunction with ARDEX Resin Systems
- Available in 6kg, 10kg and 25kg units



DAKS, Old Bond Street, London

“

By utilising ARDEX products
we can confidently meet our
clients' timescales without
compromising on quality.

”

Mark Merryweather of Hull Flooring.



SYSTEMARDEX
PREMIUM PERFORMANCE

ARDEX UK LIMITED Homefield Road Haverhill Suffolk CB9 8QP United Kingdom

Telephone: 01440 714939 Fax: 01440 716667

Email: info@ardex.co.uk ARDEX online: www.ardex.co.uk